ELSEVIER

**Biomembranes**

Vol. 1326, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Cumulative Contents

*Information for Contributors* vii

## *Short sequence-papers*

Cloning of a cDNA encoding a putative metal-transporting P-type ATPase from *Arabidopsis thaliana*
*K. Tabata, S. Kashiwagi, H. Mori, C. Ueguchi and T. Mizuno (Japan)* 1

The carboxyl-terminal sequence of rat intestinal mucin RMuc3 contains a putative transmembrane region and two EGF-like motifs
*I.A. Khatri, G.G. Forstner and J.F. Forstner (Canada)* 7

## *Regular papers*

Anthracyclines modulate multidrug resistance protein (MRP) mediated organic anion transport
*M. Heijn, J.H. Hooijberg, G.L. Scheffer, G. Szabó, H.V. Westerhoff and J. Lankelma (The Netherlands, Hungary)* 12

The hydrophobic region of signal peptides is involved in the interaction with membrane-bound SecA
*H. Mori, M. Araki, C. Hikita, M. Tagaya and S. Mizushima (Japan)* 23

Reactive liposomes encapsulating a glucose oxidase-peroxidase system with antibacterial activity
*K.J. Hill, M. Kaszuba, J.E. Creeth and M.N. Jones (UK)* 37

Ion-channels formed by hypelcins, antibiotic peptides, in planar bilayer lipid membranes
*N. Koide, K. Asami and T. Fujita (Japan)* 47

Association of polyene antibiotics with sterol-free lipid membranes II. Hydrophobic binding of nystatin to dilauroylphosphatidylcholine bilayers
*J. Milhaud, J. Berrehar, J.M. Lancelin, B. Michels, G. Raffard and E.J. Dufourc (France)* 54

Chemical modifications of striatal $A_{2A}$ adenosine receptors: a possible role for tyrosine at the ligand binding sites
*C. Martini, L. Trincavelli and A. Lucacchini (Italy)* 67

The direct cause of photodamage-induced lysosomal destabilization
*G.-J. Zhang and J. Yao (People's Republic of China)* 75

Characteristics of the melibiose transporter and its primary structure in *Enterobacter aerogenes*
*N. Okazaki, M. Kuroda, T. Shimamoto, T. Shimamoto and T. Tsuchiya (Japan)* 83

Substrate specificity of the mammary tissue anionic amino acid carrier operating in the cotransport and exchange modes
*I.D. Millar, D.T. Calvert, M.A. Lomax and D.B. Shennan (UK)* 92

X-ray diffraction study of bilayer to non-bilayer phase transitions in aqueous dispersions of di-polyenoic phosphatidylethanolamines
*W.P. Williams, A.P.R. Brain, B.A. Cunningham and D.H. Wolfe (UK, USA)* 103

The organochlorine pesticide heptachlor disrupts the structure of model and cell membranes
*M. Suwalsky, M. Benites, F. Villena, F. Aguilar and C.P. Sotomayor (Chile)* 115

Calcium-induced bilirubin-dependent hemolysis of human erythrocytes
*M.K. Ali and S. Tayyab (India)* 124

Cholecystokinin regulates glycoprotein membrane composition of rat pancreatic zymogen granules
*I. De Dios, A.I. Rodriguez, A.C. García-Montero, A. Orfao and M.A. Manso (Spain)* 131

Determination of the amount of native structural bacteriorhodopsin in purple membrane Langmuir-Blodgett films by a spectroscopic surface denaturation quantifying technique
*Y. Sugiyama, T. Inoue, M. Ikematsu, M. Iseki and T. Sekiguchi (Japan)* 138

Translocation of annexin XI to neutrophil subcellular organelles
*C. Sjölin, C. Movitz, H. Lundqvist and C. Dahlgren (Sweden)* 149

Site-directed mutagenesis of hepatitis A virus protein 3A: effects on membrane interaction
*F. Beneduce, A. Ciervo and G. Morace (Italy)* 157

*Information for Contributors* vii

## *Rapid report*

Low amounts of PEG-lipid induce cubic phase in phosphatidylethanolamine dispersions
*R. Koynova, B. Tenchov and G. Rapp (Bulgaria, Germany)* 167

## *Short sequence-paper*

Molecular cloning and characterization of a cDNA encoding the rat interleukin-8 receptor
*A.E. Gobl, M.R. Huang, S. Wang, Y. Zhou and K. Öberg (Sweden)* 171

## *Regular papers*

Thermodynamics of interaction of octyl glucoside with phosphatidylcholine vesicles: partitioning and solubilization as studied by high sensitivity titration calorimetry
*M. Keller, A. Kerth and A. Blume (Germany)* 178

Rotational mobility of $Ca^{2+}$-ATPase of sarcoplasmic reticulum in viscous media
*M. Török, G. Jakab, A. Bérczi, L. Dux and L.I. Horváth (Hungary)* 193

Disruption of polyamine modulation by a single amino acid substitution on the L3 loop of the OmpC porin channel
*N. Liu, M.J. Benedik and A.H. Delcour (USA)* 201

Mechanism of the interaction of hydrophobically-modified poly-(N-isopropylacrylamides) with liposomes
*A. Polozova and F.M. Winnik (Canada)* 213

Cerebrosides alter the lyotropic and thermotropic phase transitions of DOPE:DOPC and DOPE:DOPC:sterol mixtures
*M.S. Webb, T.C. Irving and P.L. Steponkus (USA)* 225

Grafted poly-(ethylene glycol) on lipid surfaces inhibits protein adsorption and cell adhesion
*H. Du, P. Chandaroy and S.W. Hui (USA)* 236

Exploring an antifungal target in the plasma membrane $H^+$-ATPase of fungi
*D. Seto-Young, B. Monk, A.B. Mason and D.S. Perlin (USA, New Zealand)* 249

The molecular area characteristics of the HIV-1 gp41-fusion peptide at the air/water interface. Effect of pH
*S.E. Taylor and G. Schwarz (Switzerland)* 257

Ursodeoxycholate stabilizes phospholipid-rich membranes and mimics the effect of cholesterol: investigations on large unilamellar vesicles
*S. Güldütuna, B. Deisinger, A. Weiss, H.-J. Freisleben, G. Zimmer, P. Sipos and U. Leuschner (Germany)* 265

A predicted $\beta$-sheet from class S components of staphylococcal $\gamma$-hemolysin is essential for the secondary interaction of the class F component
*O. Meunier, M. Ferreras, G. Supersac, F. Hoeper, L. Baba-Moussa, H. Monteil, D.A. Colin, G. Menestrina and G. Prévost (France, Italy)* 275

Uptake and export of citric acid by *Aspergillus niger* is reciprocally regulated by manganese ions
*A. Netik, N.V. Torres, J.-M. Riol and C.P. Kubicek (Austria, Spain)* 287

Self-association of Band 3, the human erythrocyte anion exchanger, in detergent solution
*J.W. Vince, V.E. Sarabia and R.A.F. Reithmeier (Canada)* 295

Outer membrane cytochromes of *Shewanella putrefaciens* MR-1: spectral analysis, and purification of the 83-kDa *c*-type cytochrome
*C.R. Myers and J.M. Myers (USA)* 307

Changes in the expression of voltage-gated $K^+$ currents during development of human megakaryocytic cells
*L. Kapural and A. Fein (USA)* 319

Biodistribution of liposomes containing synthetic galactose-terminated diacylglyceryl-poly(ethyleneglycol)s
*K. Shimada, J.A.A.M. Kamps, J. Regts, K. Ikeda, T. Shiozawa, S. Hirota and G.L. Scherphof (The Netherlands, Japan)* 329

Phosphoinositide metabolism in hereditary ovalocytic red blood cell membranes
*J. Björk, D.M. Reardon and L. Backman (Sweden, UK)* 342

*Cumulative Contents, Vol. 1326* 349

*Author Index* 351